SPRD Softball Bat Testing Policy

Is my bat legal?

- We do NOT require testing for all bats used in the league. The bat is approved as long as:
 - A. It is USA approved and has a manufacturer's USA approved sticker.
 - B. Is not on the USA Softball Non Approved Bat List

Who can request that my bat be tested? When can my bat be tested?

- A SPRD league supervisor has the authority to randomly test bats at any point throughout the season without prior notice.
- Any team manager or umpire may request a bat to be tested at any point before or after the bat has been used.
- Games will not be stopped for testing. The site supervisor will test the bat while play resumes.
- A player's personal bat may be tested at any time before or after their game upon request in order to deem it legal.

What happens if an illegal bat is used during a game? - see SPRD "Player Code of Conduct"

- If the bat in question has been used at any point during a game and is found to be illegal, it will be removed from the game.
- A player/team found using a non-approved bat will be ejected and has a one-game suspension. A second offense is a

suspension and requires a hearing.

The umpire said my bat is damaged and/or it has been tampered with, what now?

- It is at the umpire's discretion if:
 - A. Bat has been altered or has evidence of tampering.
 - B. A bat is damaged (cracked, chipped, etc.)
- If an umpire believes that a bat has been tampered with it will be considered illegal and it will not be allowed in any SPRD game.
- If an umpire deems a bat to be damaged and a safety issue before or during any point of the game, players will not be able to use that going forward in any SPRD game.

What happens if my bat is not approved by the bat tester or I refuse to have it tested?

- Refusal to comply with the bat-testing policy will be grounds for an immediate forfeit of usage of the bat in question until it has been tested and deemed legal to use.
- Bats that do not pass the bat compression test are not allowed to be used in SPRD games. Use of a bat that has failed a test will result in an automatic forfeit of the game or games that it was used in after the test was performed.

Are there any special exceptions to the requirements for bats used in the Master's leagues?

• Only Masters 50's are allowed to use "senior bats." However, these bats MUST possess a manufacturer's "Senior Softball" stamp



- Masters 50's bats must be USA and/or Senior Softball approved marked BPF 1.21 or less.
- ONLY USA-APPROVED BATS FOR THE OVER-60 LEAGUE: It must have a USA manufacturer's stamp.



USA Softball Non-Approved Bat List with Certification Marks

Bass	Quake	Combat	VIRSP3 Lady Virus	Data Driven Athleti	
0		-	C V SIRUS	Provide States	
Easton	SCN1	Easton	SCN11BH	Easton	SCNIB
	IMAGE COMMING SOON	Contract of the local division of the local			Strengt
Easton	SCN2B	Easton	SCN3	Easton	SCN4B
	and the second	•	Coll-College		
Easton	SCN5 IMAGE COMMING SOON	Easton	SCN5B	Easton	SCN6B
Easton	SCN7	Easton	SCN7B	Easton	SCN8
-	EASTON		STEALTH)	STNERGY
Easton	SCN8B	Easton	SCN9	Easton	SCX14
Constant of the second	6tnergy		SUCALID		
Easton	SCX14B	Easton	SCX2 Synergy	Easton	SCX22 Synergy 2
	Stnergy		SYNERGY		# SYNERGY 2
Easton	SCX24B	Easton	SCX3	Louisville Slugger	
	SYNERGY				
Louisville Slugger	FP1368	Louisville Slugger	FP1369	Louisville Slugger	FPC305 Catalyst (-8)
Louisville Slugger		Louisville Slugger		Louisville Slugger	
((terrende biologie	genesis	()	
Louisville Slugger	SB73V TPS Voltage	Miken	MSF Freak	Miken	MSU Ultra
-		•	~	\$	ULTRA
Miken	MSU2 Ultra II	Miken	MSUM Ultra Maxload	Nokona	Tomahawk
2	ULSTRA	\$	OLTRA	(CNOKONA
Onyx	Battle Ground - ESBCA242	Onyx	First Born - ES2P21	Pure	SkyBolt - MFE6
	BATTIA:	Contraction of the second	trat Born	Contraction of the local division of the loc	SKYB
					New
Column	Bod/Cilvas Solutt Dat	Sumaaaat	SPERD 10	Worth	
Schutt	Red/Silver Schutt Bat	Suncoast	SBFPB-10	Worth	New EST9
Schutt Ø		Suncoast Worth	SBFPB-10	Worth Worth	EST9
0	Andre S D	(DAMADH #		EST9
0	QESTFP	(SBWK(Wicked)		EST9
Worth	QESTFP	Worth	SBWK(Wicked)	Worth	EST9 II SBWKA
Worth	QESTFP	Worth	SBWK(Wicked)	Worth	EST9 SBWKA XEST9X
Worth Worth Users	QESTFP	Worth Worth	SBWK(Wicked) WWSCA	Worth Worth	EST9 II COURDON SBWKA XEST9X

The official bat, made up of the knob, handle, grip, taper, barrel and end cap shall be free of burs, dents cracks, sharp edges, rattles and show no signs of excessive wear. The official bat may be marked OFFICIAL SOFTBALL by the manufacturer and shall be no more than 34 inches long nor exceed 38 ounces in weight. The official bat shall not be more than 2.250 inches in diameter at its largest part, including any tolerance for expansion. It should also have a manufacturer's USA approved sticker (below).



1/7/2025